



3-cabin layout (standard):



4-cabin layout:



GENERAL SPECIFICATIONS **

• L.O.A*:	18,95m	62'2"
• Hull length:	16,47m	54'½"
• Overall width:	5,45m	17'10½"
• Beam:	5,41m	17'9"
• Light displacement (EC):	28 500kg	61,729 lbs
• Air draft:		
- max	7,34m	24'1"
- without T-Top	5,12m	16'9½"
• Draught (max):	1,4m	4'7¼"
• Fuel capacity:	2 x 2 000L	2 x 528 US Gal
• Freshwater capacity:	840L	222 US Gal
• Maximum engine power:	2 x 544Kw - 2 x 730 HP	2 x 730 HP
• Max engine certification:	2 x 544Kw - 2 x 730 HP	2 x 730HP

* (with aft swimming platform)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Nauta

EC CERTIFICATION **

- Category B

seawapps

CONNECT YOUR BOAT FREE YOUR MIND

** Provisional specifications, boat in process of certification.

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Gel coat: RAL 9010
- Composition:
 - Sandwich (Polyester resin - Glass fiber - Balsa core)
 - Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
 - Moulding by infusion
- 15 opening portholes (3 in the skipper's cabin)

DECK

- Gel coat: RAL 9010
- Composition:
 - Sandwich (Polyester resin - Glass fiber - Balsa core)
 - Moulding by infusion
- Diamond tip type non-slip covering

DECK EQUIPMENT

- Stainless steel radar stand
- Navigation lights
- Courtesy lighting (Catwalks, Steps & Aft transom)

MOORING LINES - MOORING

- Stainless steel bowsprit
- Electric windlass (24V - 2 300 W)
- Windlass remote control in the chain locker + windlass control from the helm position in the wheelhouse and on the flybridge
- Anchor locker, 2 lockers for fenders on forward deck, mooring lines lockers
- 2 Forward cleats, 4 central and 4 aft in stainless steel

SAFETY ON DECK

- Stainless steel pulpits
- Stainless steel pulpit surrounding all flybridge
- Stainless steel handrails for access to catwalk steps
- 1 Hand rail on aft transom

FOREDECK

- Fender stowage to port and starboard
- Chain locker to port and starboard
- Position for seat and sun deck

FLYBRIDGE

- Grey tinted windscreen in PMMA
- Access panel to interior and exterior flybridge stairs
- Steering station including: MAN 5.5" screens for 2 engines, engine controls, steering compass, tiller angle indicator, autopilot, helm, fuel gauge, 12 V socket
- Space for 3 multifunction 16" screens
- Operating controls: windlass, lighting, navigation lights, bilge pumps
- 2 Loud speakers
- 1 Adjustable pilot seat, with cover
- 2 Cup holders & Storage
- Position for sun deck in front of steering station with 2 cup holder
- L-shaped bench seat to port
- U-shaped bench seat for 8 people to port
- Folding teak table, with 4 integrated cup holders
- Exterior galley: corian work top, with 5 built-in cup holders, space for an electric grill (optional), stowage, bin
- LED courtesy lighting
- PVC Marlin Brilliant White upholstery, Open cell foam
- Sunworker black courtesy curtains on the flybridge

COCKPIT

- Access via doors (to port and starboard)
- Lockers with stowage (to port and starboard)
- Gangway doors (to port and starboard)
- PMMA catwalk doors, painted grey (to port and starboard)
- Access hatch to large stowage locker (standard) or skipper cabin (optional) to the aft port side
- Second access hatch to large stowage locker (standard) or skipper cabin (optional) in the cockpit
- Cockpit shower (with hot/cold water mixer tap)
- Access ladder to flybridge, with teak steps
- Natural teak decking with black joints in swim deck and cockpit
- Foldaway swim ladder recessed in the bathing platform, with teak steps and stainless steel handrails
- Swimming platform steps with access hatch to shore power socket and shore freshwater supply
- Direct and indirect lighting LED
- 2 Loud speakers

INTERIOR

Choice of woodwork:

- Alpi walnut (standard):
 - Standard Rovere Alevé laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
 - Savage Abundance 31 white carpet (Cabins)
- 3 gloss Alpi oak (Option):
 - Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
 - Savage Abundance 39 taupe carpet (Cabins)

WHEELHOUSE

Headroom: 2,02m / 6'7½"

- Curtain, Aft window door
- Wooden Venetian blinds
- Direct and indirect lighting LED
- Electrical panel
- Wheelhouse side door to port

STEERING STATION

- Direct and indirect lighting LED
- Clear glass windscreen
- Grey tinted glass side windows
- 3 Windscreen wipers with washers
- Demisting system
- Charcoal grey leather adjustable pilot seat, with bolster
- Side bench seat
- 4 Cup holders & Storage
- Instrument panel with vinyl finish
- MAN 5.5" screen for 2 engines
- MAN engine controls and gauges
- Autopilot
- Steering compass
- Tiller angle indicator
- Operating controls: windscreen wipers, demister, horn, navigation lights, electric windlass
- Valet tray
- Space for 3 multifunction 16" screens
- 1 12 V socket

WHEELHOUSE (DINING ROOM)

Headroom: 2,02m / 6'7½"

- L-shaped bench seat for 5 people to starboard, PVC Marlin Brilliant White upholstery
- 4 Folding chairs (internal and external use), Dedicated stowage beneath starboard bench seat
- Sliding table with hand rail
- Storage locker

SALOON

Headroom: 2,02m / 6'7½"

- U-shaped bench seat to port, PVC Marlin Brilliant White upholstery
- Coffee table
- Sideboard to starboard
- Place for 50 TV with pre-wiring
- FUSION RA210 with 4 speakers
- 220 V socket & USB socket

GALLEY

Headroom: 2,02m / 6'7½"

- Starboard side door
- Stainless steel sink with mixer tap
- 3 burner induction hob
- Multi-function microwave oven (40L / 11 US Gal)
- Extractor hood
- Corian Rain Cloud countertop
- Fridge/Freezer (255L / 67.36 US Gal)
- Covered stowage drawer
- Cupboards, drawers, high storage units and bottle rack
- Recycling bin with external access
- Position for Dishwasher option
- 220 V socket

OWNER'S CABIN (AFT) - 3-cabin layout

Headroom: 2,00m / 6'6¾"

- Full beam stateroom
- Double berth (2m x 1,7m / 6'6¾" x 5'7")
- Marine mattress with slatted base
- 2 Bedside tables with drawer
- 2 Hanging cupboards with lighting
- Direct and indirect lighting
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 50 TV with pre-wiring
- Storage cupboards (Port and starboard)
- Storage space under bed
- Desk or dressing table
- 1 Seating
- 220 V socket & USB socket

OWNER'S HEAD COMPARTMENT

Headroom: 2,00m / 6'6¾"

- Tecma electric toilet
- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Mixer tap with shower head and rainfall shower fitting
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 220 V socket
- Hull window with opening porthole
- Towel rail and hooks

VIP CABIN (FORWARD)

Headroom: 1,99m / 6'6¼"

- Double berth (2m x 1,55m / 6'6¼" x 5'1")
- Marine mattress with slatted base
- 2 Bedside tables
- 1 Hanging locker with lighting
- Direct and indirect lighting
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 32 TV with pre-wiring
- Storage cupboards
- Storage space under bed
- 220 V socket & USB socket

VIP HEAD COMPARTMENT

Headroom: 1,96m / 6'5¼"

- Tecma electric toilet + Shared rigid tank (170L / 45 US Gal)
- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Shower with mixer tap
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 220 V socket
- Hull window with opening porthole + 1 Opening porthole
- Towel rail and hooks

GUEST CABIN

Headroom: 2,02m / 6'7½"

- 2 Single beds convertible into double beds (1,96m x 0,75m / 6'5¼" x 2'5½")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Direct and indirect lighting
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 220 V socket & USB socket

GUESTS HEAD

Headroom: 2,02m / 6'7½"

- Tecma electric toilet
- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Shower with mixer tap
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 220 V socket
- Hull window with built-in opening porthole
- Towel rail and hooks

AFT STOWAGE

Headroom: 1,78m / 5'10"

(1,92m / 6'3½" in the shower compartment)

- Laminate floor
- Cupboards and door to create dedicated stowage spaces
- Opening portholes
- Access door to the engine compartment

ENGINE

SHAFT LINE PROPULSION

- MAN i6-730 2 x 730 HP Diesel (2 x 544Kw)
- Fuel filter with decanter
- Seawater filter
- Air intakes on the hull for cooling the engine compartment
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse)
- 2 Stainless steel fuel tanks with capacity of 2000 L/528 US Gal each

STEERING SYSTEM

- Electric-hydraulic steering
- 2 stainless steel rudder blades
- Bow thruster (300 kgf)
- Lenco trim tabs

MAN DETAILS

- Trip computer
- Cruise control
- Single lever

ELECTRICITY

- 24 V 220 V Electrical panel
- 4 AGM engine batteries (12V - 140 Ah)
- 4 AGM bow thruster and electric windlass batteries (12V - 100 Ah)
- 6 Service batteries (12V - 140 Ah) - AGM optional extra
- Radio-controlled wireless switches (without battery)
- 230 V - 50 Hz 63 Ah shore power socket with 15 m cable (or 2 220 V/60 Hz shore power sockets, depending on country)
- 3 Bilge pumps: 2 Electric bilge pumps + 1 Manual pump
- 1 Extinguisher
- Power distributor
- Battery charger: 24V - 2 x 40 Ah
- 220V Sockets: Saloon, Galley, Heads, Cabins
- USB sockets: Saloon, Galley, Heads, Cabins
- 12V Sockets: Steering stations (Wheelhouse & Flybridge)
- Direct and indirect LED lighting (inside and out)

PLUMBING

- 3 2 x 320 + 1 x 200 L / 2 x 85 + 1 x 53 US Gal Roto moulded water tanks (total = 840L / 222 US Gal)
- Stainless steel water filler
- Water pump for pressurising hot/cold water system
- 80 L/21 US Gal water heater
- 170 L/45 US Gal black water tank
- Grey water tank (45 L/12.9 US Gal) with sea discharge valves - Owner cabin and head, Galley
- Grey water tank (45 L/12.9 US Gal) with sea discharge valves - VIP and guest cabins and heads

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT **FREE YOUR MIND**

MISCELLANEOUS ITEMS

- Smoke detector

TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	CONFORT	LOUNGE
<ul style="list-style-type: none"> • Flybridge T-top with lighting • Ship control with web server • 4,5 kVA Generator (50Hz) or 7,5 kVA Generator (60Hz) • Drawer refrigerator on flying bridge (65L / 17 US Gal) • 2 000 W inverter 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪
<ul style="list-style-type: none"> • Hydraulic bathing platform with integrated tender supports (400kg / 882 lbs SWL) • 2 Fresh water deck washing pumps (stern and forward decks) • Deck searchlight and aft spotlight 		<ul style="list-style-type: none"> ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪
<ul style="list-style-type: none"> • Underwater lights (4 on aft transom) • Electric grill with stainless steel cover on flying bridge • Ice maker on flying bridge • Drawer refrigerator in lounge (95L / 25 US Gal) • Dishwasher for 9 sets 			<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪

PACKS

LUXE PACK

- Leather finish on the furniture (Cabins & Wheelhouse)
- Leather finish on the doors (Cabins)
- Louvred doors for hanging lockers (Cabins)
- Padded headboard (Owner and VIP cabins)
- Sliding door for access to galley
- Luxe reading lights (Owner and VIP cabins)

ELECTRONIC PACK

- 2 Raymarine 12" multi-function screens in wheelhouse
- 2 Raymarine 12" multi-function screens on flying bridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (Wheelhouse & Flybridge)
- Raymarine AIS
- Raymarine aft camera

ELECTRONIC UPGRADED PACK

- 3 Raymarine 16" multi-function screens in wheelhouse
- 3 Raymarine 16" multi-function screens on flying bridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (Wheelhouse & Flybridge)
- Raymarine AIS
- Raymarine aft camera
- Raymarine engine compartment camera

ENTERTAINMENT PACK Saloon & Exterior

- TV system on riser for TV up to 50"
- Fusion Apollo MS-RA770 + 4 Premium speakers and subwoofer
- 2 Premium speakers (Aft cockpit)
- 2 Premium speakers (Deck forward)
- Fusion Apollo MS-RA770 + 2 Premium speakers (Flybridge)

ENTERTAINMENT PACK Owner's cabin - 3-cabin layout

- Owner's cabin (3-cabin layout): Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 50" TV

ENTERTAINMENT PACK Aft cabins - 4-cabin layout

- Port and starboard aft cabins (4-cabin layout): Fusion Apollo MS-RA770 + 2 Premium speakers

ENTERTAINMENT PACK VIP cabin

- VIP cabin: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV

AMBIANCE

Alpi walnut standard version

- Standard Rovere Aleve laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
- Savage Abundance 31 white carpet (Cabins)

3 gloss Alpi oak optional version

- Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
- Savage Abundance 39 taupe carpet (Cabins)
- Rain Cloud corian on the work top (Galley, Heads)
- Anthracite grey leather pilot seat
- Standard interior upholstery (Wheelhouse, Steering station): Marlin Brillant White PVC
- Optional internal upholstery (Wheelhouse, Steering station):
 - Crevin Noah 52
 - Bolt greige 06
 - Ronaldo 13
 - Foglizzo duke 15 (Leather)
 - Foglizzo duke 02 (Leather)
 - Foglizzo duke 45 (Leather)
 - Foglizzo lugano 13 (Nubuck)
 - Foglizzo lugano 14 (Nubuck)
- Standard external upholstery: Marlin Brillant White PVC
- Optional external upholstery: Dolce 51

OPTIONAL LAYOUT VERSIONS _____

4-CABIN LAYOUT _____

Two guest cabins in place of the owner's cabin. The VIP cabin becomes the owner's cabin.

AFT PORT SIDE GUEST CABIN

Headroom: 2,00m / 6'6¾"

- 2 Single beds convertible into double beds (2,00m x 0,75m / 6'6¾" x 2'5½")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Direct and indirect lighting
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 220 V socket & USB socket

AFT STARBOARD GUEST CABIN

Headroom: 2,00m / 6'6¾"

- 2 Single beds convertible into double beds (2,00m x 0,75m / 6'6¾" x 2'5½")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Direct and indirect lighting
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 220 V socket & USB socket

FACE-TO-FACE SEATS IN SALOON _____

- 2 person bench seat replacing starboard furniture (Upholstery depending on version)

SKIPPER'S CABIN (accessible from the bathing platform)

Headroom: 1,78m / 5'10"

- 2 Single berths (1,97m x 0,7m / 6'5½" x 2'3½")
- Marine mattresses
- Bedside table with storage cupboard
- Hanging locker
- Reading light, Direct LED lighting
- Opening porthole with white curtain
- Stowage below lower bed
- 220 V socket & USB socket

SKIPPER CABIN HEAD/STOWAGE _____

Headroom: 1,78m / 5'10"

- Tecma electric toilet
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- 220 V socket

SKIPPER CABIN SHOWER/STOWAGE _____

- Shower with mixer tap
- Manual starting of the electric water drainage pump 8 L/2 US Gal grey water with sensor for automatic drainage
- Opening porthole

OPTIONS

INTERIOR OPTIONS

AMBIANCE

- Brushed whitened solid oak floors
- Luxe lighting - 3-cabin layout
- Luxe lighting - 4-cabin layout

SALOON

- Wine cellar 23 bottles
- Drawer refrigerator (95L / 25 US Gal)
- Carpet in wheelhouse:
 - Savage Abundance 31 white carpet (Alpi walnut standard version)
 - Savage Abundance 39 taupe carpet (3 gloss Alpi oak optional version)

GALLEY

- Enclosed galley with windows and serving hatch
- Dishwasher for 9 sets

DINING ROOM

- 12 person tableware service (crockery, place settings, glasses)

MAIN STEERING STATION

- Joystick MAN + slow speed trolling valve
- stern thruster (300 kgf)
- Additional pilot seat in steering station
- Lenco flaps with automatic auto-glide management system
- Ship control with web server

OWNER'S CABIN (AFT)

- Safe

VIP CABIN (FORWARD)

- ENTERTAINMENT Pack: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV

4-CABIN LAYOUT

- Fusion audio system for the 2 aft guest cabins

HEADS (except skipper cabin)

- Tecma toilets with bidet function

AFT STOWAGE

- Washer dryer
- Tender inflater
- MAN spares kit: Oil filters, Air filter, Cooling pump, Belt

ENGINE COMPARTMENT

- 6 AGM service batteries (12V - 140 Ah) to replace standard batteries
- Automatic extinguishing system
- 2 000 W inverter
- 17,5 KVA 230 V / 50 Hz Generator
- 21,5 KVA 230 V / 60 Hz Generator

COMFORT

- Reversible 72 K BTU Mediterranean air conditioning
- Reversible 96 K BTU Tropical air conditioning
- 6 K BTU skipper cabin air conditioning
- 23 kW heating
- Heating - Skipper's cabin
- Mosquito nets for aft bay and side doors
- Mosquito nets on the lower deck
- Quick MC² X30 stabiliser

PLUMBING

- 95LPH Water maker
- Additional grey water tank (320L / 84.5 US Gal)
- 8 L/2 US Gal grey water tank with sea discharge valves for head and washer dryer

EXTERIOR OPTIONS

HULL

- Hull paint
- Underwater lights (4 on aft transom)

DECK

- Delta anchor 50 kg, 100m chains (14mm diameter), 8 Fenders, 4 Inflatable fenders & 8 Moorings lines (22mm diameter)
- Forward eck seat and sun deck with adjustable backrests, with cover
- Forward sunshade
- Forward towing winch and electric winches to port and starboard
- Forward deck made from natural teak with black joints
- L-shaped cockpit bench seat and cockpit table, with cover
- 3rd steering station in the cockpit
- Hydraulic bathing platform with teak access steps and integrated tender chocks (400kg / 882 lbs SWL)
- Retractable telescopic gangway (3,2m / 10'6")
- 2 Fresh water deck washing pumps (stern and forward decks)
- 230 V/50 Hz air conditioning shore power socket
- 230 V/50 Hz air conditioning shore power socket - System Cablemaster
- Full aft cockpit closing
- Black sunworker curtains for windscreens and side windows

FLYBRIDGE

- Additional pilot seat, with cover
- Flybridge crane (400kg / 882 lbs SWL)
- Flybridge T-top with lighting
- Electrified soft top roof for flybridge T-top
- Sunshade for aft flybridge
- Covers for cushions, table and steering console
- Sun deck forward of flybridge, with cover
- 6 Solar panels for the T-top
- Metallic grey paint for the T-top
- Natural teak flybridge floor with black joints
- Raymarine radome radar
- Raymarine Open scanner radar
- Raymarine ClearCruise (augmented reality)
- Raymarine Wind vane anemometer
- 2 Domes for satellite antennae with pre-wiring as standard (coaxial satellite cable for TV to starboard)
- Deck searchlight and aft spotlight
- Ice maker
- Drawer refrigerator (65L / 17 US Gal)
- Electric grill with stainless steel cover